


CLAIMS AS AMENDED

1. (currently amended): A room temperature curable organopolysiloxane composition comprising

(A) 100 parts by weight of an organopolysiloxane of the following general formula (1):




wherein R¹ is a substituted or unsubstituted monovalent hydrocarbon radical of 1 to 10 carbon atoms, and n is an integer of at least 10, or an organopolysiloxane of the following general formula (2):



wherein R¹ and n are as defined above, R² is a substituted or unsubstituted monovalent hydrocarbon radical of 1 to 6 carbon atoms, and m is independently an integer of 0 or 1, or both,

(B) 0.1 to 30 parts by weight of a silane compound having at least two hydrolyzable radicals selected from the group consisting of alkoxy and isopropenoxy radicals each attached to a silicon atom in a molecule, the remaining radicals attached to silicon atoms being selected from the group consisting of methyl, ethyl, propyl, vinyl and phenyl, or a partial hydrolyzate thereof or both, and

(C) 0.1 to 10 parts by weight of an organosilicon compound of the following general formula (3):



wherein R¹ and R² are as defined above, R³ is a divalent hydrocarbon radical of 1 to 10 carbon atoms, R⁴ is a divalent aromatic ring-bearing hydrocarbon radical of 7 to 10 carbon atoms, and p is an integer of 1 to 3, at least one of the NH and NH₂ radicals being not directly attached to the aromatic ring in R⁴.

2. (cancelled).

3. (original): The composition of claim 1 wherein in formula (3), R² is methyl or ethyl, and R³ is methylene, ethylene or propylene.

4. (original): The composition of claim 1 wherein in formula (3), R⁴ is selected from the following structures:

- CH₂-C₆H₄- (4),
- CH₂-C₆H₄-CH₂- (5),
- CH₂-C₆H₄-CH₂-CH₂- (6),
- CH₂-C₆H₄-CH₂-CH₂-CH₂- (7),
- CH₂-CH₂-C₆H₄- (8),
- CH₂-CH₂-C₆H₄-CH₂- (9),
- CH₂-CH₂-C₆H₄-CH₂-CH₂- (10),
- CH₂-CH₂-CH₂-C₆H₄- (11) and
- CH₂-CH₂-CH₂-C₆H₄-CH₂- (12).

5. (original): The composition of claim 1 which further comprises a filler.

6. (original): The composition of claim 5 wherein the filler is silica and/or carbon black.


7. (original): The composition of claim 1 which further comprises a condensation reaction catalyst.

8. (new): The composition of claim 1, comprising a trimethoxysilyl end-blocked polydimethylsiloxane having a viscosity of 900 centistokes at 25°C, a vinyltrimethoxysilane, and a compound of the formula $(\text{CH}_3\text{O})_3\text{Si}-\text{C}_3\text{H}_6-\text{NHCH}_2-\text{C}_6\text{H}_4-\text{CH}_2\text{NH}_2$.

9. (new): The composition of claim 1, comprising a silanol end-blocked polydimethylsiloxane having a viscosity of 700 centistokes at 25°C, a vinyltriisopropenoxysilane, and a compound of the formula $(\text{CH}_3\text{O})_3\text{Si}-\text{C}_3\text{H}_6-\text{NHCH}_2-\text{C}_6\text{H}_4-\text{CH}_2\text{NH}_2$.

10. (new): A room temperature curable organopolysiloxane composition comprising

(A) 100 parts by weight of an organopolysiloxane of the following general formula (2):




wherein R^1 is a substituted or unsubstituted monovalent hydrocarbon radical of 1 to 10 carbon atoms, n is an integer of at least 10, R^2 is a substituted or

unsubstituted monovalent hydrocarbon radical of 1 to 6 carbon atoms, and m is independently an integer of 0 or 1, or both,

(B) 0.1 to 30 parts by weight of a silane compound having at least two ketoxime radicals each attached to a silicon atom in a molecule, the remaining radicals attached to silicon atoms being selected from the group consisting of methyl, ethyl, propyl, vinyl and phenyl, or a partial hydrolyzate thereof or both, and

(C) 0.1 to 10 parts by weight of an organosilicon compound of the following general formula (3):



wherein R^1 and R^2 are as defined above, R^3 is a divalent hydrocarbon radical of 1 to 10 carbon atoms, R^4 is a divalent aromatic ring-bearing hydrocarbon radical of 7 to 10 carbon atoms, and p is an integer of 1 to 3, at least one of the NH and NH_2 radicals being not directly attached to the aromatic ring in R^4 .

11. (new): The composition of claim 10, wherein in formula (3), R^2 is methyl or ethyl and R^3 is methylene, ethylene, or propylene.

12. (new): The composition of claim 10, wherein in formula (3), R⁴ is selected from the following structures:

- AI
- CH₂-C₆H₄- (4),
 - CH₂-C₆H₄-CH₂- (5),
 - CH₂-C₆H₄-CH₂-CH₂- (6),
 - CH₂-C₆H₄-CH₂-CH₂-CH₂- (7),
 - CH₂-CH₂-C₆H₄- (8),
 - CH₂-CH₂-C₆H₄-CH₂- (9),
 - CH₂-CH₂-C₆H₄-CH₂-CH₂- (10),
 - CH₂-CH₂-CH₂-C₆H₄- (11), and
 - CH₂-CH₂-CH₂-C₆H₄-CH₂- (12).

13. (new): The composition of claim 10, further comprising a filler.

14. (new): The composition of claim 13, wherein the filler is silica and/or carbon black.

15. (new): The composition of claim 1, further comprising a condensation reaction catalyst.

16. (new): The composition of claim 10, comprising a silanol end-blocked polydimethylsiloxane having a viscosity of 700 centistokes at 25°C, a methyltributanoximesilane, and a compound of the formula (CH₃O)₃Si-C₃H₆-NH-C₆H₄-CH₂NH₂.